Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
G. Attardi
S. Bernhard
D. Branton
J. Cairns
G. N. Cohen
D. M. Crothers
J. E. Darnell
G. von Ehrenstein
G. Felsenfeld
W. Gilbert
J. Hurwitz
A. D. Kaiser
A. Klug
G. E. Palade
D. C. Phillips
L. Stryer
C. Thomas
A. Tissières
J. Wyman

VOLUME 58
28 May 1971 to 28 June 1971

ACADEMIC PRESS
LONDON and NEW YORK

QH361
J73

Copyright © 1971, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 58

Number 1, 28 May 1971

Myers, G. L. and Sadler, J. R., Mutational Inversion of Control of the Lactose Operon of *Escherichia coli* 1

Kirschner, K., Gallego, E., Schuster, I. and Goodall, D., Co-operative Binding of Nicotinamide–Adenine Dinucleotide to Yeast Glyceraldehyde-3-phosphate Dehydrogenase. I. Equilibrium and Temperature-jump Studies at pH 8·5 and 40°C 29

Kirschner, K., Co-operative Binding of Nicotinamide–Adenine Dinucleotide to Yeast Glyceraldehyde-3-phosphate Dehydrogenase. II. Stopped-flow Studies at pH 8·5 and 40°C. 51

Simon, S. R., Arndt, D. J. and Konigsberg, W. H., Structure and Functional Properties of Chemically Modified Horse Hemoglobin. I. Determination of the Functional Properties 69

Moffat, J. K., Structure and Functional Properties of Chemically Modified Horse Hemoglobin. II. X-ray Studies 79

Moffat, J. K., Simon, S. R. and Konigsberg, W. H., Structure and Functional Properties of Chemically Modified Horse Hemoglobin. III. Functional Consequences of Structural Alterations and their Implications for the Molecular Basis of Co-operativity 89

Yamamoto, M., Ishizawa, M. and Endo, H., Ribonucleic Acid-permeable Mutant of *Escherichia coli* 103

Schulman, L. H., Structure and Function of *Escherichia coli* Formylmethionine Transfer RNA. II. Effect of Modification of Guanosine Residues on Aminoacyl Synthetase Recognition 117

Boon, T. and Zinder, N. D., Genotypes Produced by Individual Recombination Events Involving Bacteriophage f1 133

Engelman, D. M., Lipid Bilayer Structure in the Membrane of *Mycoplasma laidlawii* 153

Siersma, P. W. and Chiang, K.-S., Conservation and Degradation of Cytoplasmic and Chloroplast Ribosomes in *Chlamydomonas reinhardtii* . . 167

Rossomando, E. F. and Milstien, J. B., Electro-optic Evidence for the Control of the Structure of Bacteriophage f1 by a Minor Coat Protein . 187

Cox, R. P., Elson, N. A., Tu, S.-H. and Griffin, M. J., Hormonal Induction of Alkaline Phosphatase Activity by an Increase in Catalytic Efficiency of the Enzyme 197

DUNKER, A. K. and RUECKERT, R. R., Fragments Generated by pH Dissociation of ME-virus and their Relation to the Structure of the Virion . . 217

ROBSON, B. and PAIN, R. H., Analysis of the Code Relating Sequence to Conformation in Proteins: Possible Implications for the Mechanism of Formation of Helical Regions 237

Appendix—ALTHAM, P. M. E., The Estimation of $I(x = 1 : 2; y)$ . . . 258

TALBOT, B., BRUNORI, M., ANTONINI, E. and WYMAN, J., Studies on the Reaction of Isocyanides with Haemproteins. I. Equilibria and Kinetics of the Binding to the Isolated Chains of Human Haemoglobin . . 261

BRAM, S., The Secondary Structure of DNA in Solution and in Nucleohistone 277

PAINTER, R. B. and SCHAEFER, A. W., Variation in the Rate of DNA Chain Growth through the S Phase in HeLa Cells 289

KANG, S., Stereochemistry of Pyrimidine Nucleosides: Conformational Analysis of Cytidine, Thymidine, 4-Thiouridine and Deoxycytidine by the Neglect of Differential Overlap Molecular Orbital Method . . . 297

MAXWELL, C. R., KAMPER, C. S. and RABINOVITZ, M., Hemin Control of Globin Synthesis: An Assay for the Inhibitor Formed in the Absence of Hemin and Some Characteristics of its Formation 317

ZIMMER, CH., REINERT, K. E., LUCK, G., WÄHNERT, U., LÖBER, G. and THRUM, H., Interaction of the Oligopeptide Antibiotics Netropsin and Distamycin A with Nucleic Acids 329

HÉLÈNE, C., BRUN, F. and YANIV, M., Fluorescence Studies of Interactions between *Escherichia coli* Valyl-tRNA Synthetase and its Substrates . 349

FAVRE, A., MICHELSON, A. M. and YANIV, M., Photochemistry of 4-Thiouridine in *Escherichia coli* Transfer RNA_1^{Val} 367

YANIV, M., CHESTIER, A., GROS, F. and FAVRE, A., Biological Activity of Irradiated $tRNA^{Val}$ containing a 4-Thiouridine–Cytosine Dimer . . 381

LETTERS TO THE EDITOR—

JACK, A., WEINZIERL, J. and KALB, A. J., An X-ray Crystallographic Study of Demetallized Concanavalin A 389

WHITE, J. P. and CANTOR, C. R., Role of Magnesium in the Binding of Tetracycline to *Escherichia coli* Ribosomes 397

ERRATUM 401

ANNOUNCEMENT 403

NUMBER 2, 14 JUNE 1971

YAMAGISHI, H., Distribution of Nucleotides in *Escherichia coli* DNA from ϕ80 Transducing Bacteriophage. 405

YAMAGISHI, H. and SKALKA, A., Distribution of Nucleotides in *Escherichia coli* DNA from λ Transducing Phages. 417

VERVERGAERT, P. H. J. TH. and ELBERS, P. F., Ultrastructural Analysis of Black Lipid Membranes 431

HIRSH, D., Tryptophan Transfer RNA as the UGA Suppressor . . . 439

HIRSH, D. and GOLD, L., Translation of the UGA Triplet *in vitro* by Tryptophan Transfer RNA's. 459

DOHAN, F. C., JR., RUBMAN, R. H. and TORRIANI, A., *In vitro* Synthesis of *Escherichia coli* Alkaline Phosphatase Monomers 469

WU, R. S. and SOEIRO, R., Turnover of Nuclear RNA in HeLa Cells: Evidence for a Single Ribonucleotide Pool 481

ORAVEC, M. and KORNER, A., Stimulation of Synthesis of DNA-like and Ribosomal RNA by Growth Hormone 489

GERBI, S. A., Localization and Characterization of the Ribosomal RNA Cistrons in *Sciara coprophila* 499

LU, P. and RICH, A., The Nature of the Polypeptide Chain Termination Signal 513

HOHMANN, P. and COLE, R. D., Hormonal Effects on Amino Acid Incorporation into Lysine-rich Histones in the Mouse Mammary Gland . . . 533

NEWELL, P. C., LONGLANDS, M. and SUSSMAN, M., Control of Enzyme Synthesis by Cellular Interaction during Development of the Cellular Slime Mold *Dictyostelium discoideum* 541

SNYDER, A. L., KANN, H. E., JR. and KOHN, K. W., Inhibition of the Processing of Ribosomal Precursor RNA by Intercalating Agents 555

BADLEY, R. A. and TEALE, F. W. J., Geometry and Fluorescence of Pepsin–Substrate Complexes 567

Appendix 575

FLESSEL, C. P., Cell-free Synthesis of Ribosomal Proteins on Polyribosomes . 579

FOLK, W. R. and BERG, P., Duplication of the Structural Gene for Glycyl-transfer RNA Synthetase in *Escherichia coli* 595

WELLS, R. and SAGER, R., Denaturation and the Renaturation Kinetics of Chloroplast DNA from *Chlamydomonas reinhardi* 611

MONK, M., PEACEY, M. and GROSS, J. D., Repair of Damage Induced by Ultraviolet Light in DNA Polymerase-defective *Escherichia coli* Cells . 623

LETTERS TO THE EDITOR—

GROSS, J. D., GRUNSTEIN, J. and WITKIN, E. M., Inviability of *recA*⁻ Derivatives of the DNA Polymerase Mutant of De Lucia and Cairns 631

COHEN, S. N. and HURWITZ, J., Further Studies on the Synthesis of RNA *in vitro* by Enzyme–Template Complexes isolated from Induced λ Lysogens 635

ERRATUM 641

ANNOUNCEMENTS 642

NUMBER 3, 28 JUNE 1971

NAGEL, R. L., GIBSON, Q. H. and JENKINS, T., Ligand Binding in Hemoglobin J Capetown 643

SMART, J. E. and BONNER, J., Selective Dissociation of Histones from Chromatin by Sodium Deoxycholate 651

SMART, J. E. and BONNER, J., Studies on the Role of Histones in the Structure of Chromatin 661

SMART, J. E. and BONNER, J., Studies on the Role of Histones in Relation to the Template Activity and Precipitability of Chromatin at Physiological Ionic Strengths 675

MEEZAN, E. and WOOD, W. B., The Sequence of Gene Product Interaction in Bacteriophage T4 Tail Core Assembly 685

KING, J., Bacteriophage T4 Tail Assembly: Four Steps in Core Formation . 693

URBAN, J. E. and LARK, K. G., DNA Replication in *Escherichia coli* 15T⁻ Growing at 20°C 711

ÖBERG, B. and PHILIPSON, L., Replicative Structures of Poliovirus RNA *in vivo* 725

VOSBERG, H.-P. and HOFFMANN-BERLING, H., DNA Synthesis in Nucleotide-permeable *Escherichia coli* Cells. I. Preparation and Properties of Ether-treated Cells 739

DÜRWALD, H. and HOFFMANN-BERLING, H., DNA Synthesis in Nucleotide-permeable *Escherichia coli* Cells. II. Synthesis of Replicative Form DNA of Phage φX174 755

Bretscher, M. S., Human Erythrocyte Membranes: Specific Labelling of Surface Proteins 775

Bender, W. W., Garan, H. and Berg, H. C., Proteins of the Human Erythrocyte Membrane as Modified by Pronase 783

Bishop, D. H. L. and Roy, P., Properties of the Product Synthesized by Vesicular Stomatitis Virus Particles 799

Thrierr, J. C., Dourlent, M. and Leng, M., A Study of Polyuridylic Acid . 815

Lazarides, E. L., Lukens, L. N. and Infante, A. A., Collagen Polysomes: Site of Hydroxylation of Proline Residues 831

Hanson, C. V., A Study of Rapid Hydrogen Exchange in Nucleic Acids . . 847

Hanson, J., O'Brien, E. J. and Bennett, P. M., Structure of the Myosin-containing Filament Assembly (A-segment) separated from Frog Skeletal Muscle 865

Letter to the Editor—

Lark, K. G., Consigli, R. and Toliver, A., DNA Replication in Chinese Hamster Cells: Evidence for a Single Replication Fork per Replicon 873

Announcement 877

Index to Volume 58

Alkaline phosphatase activity induced hormonally by an increase in catalytic efficiency of the enzyme, 197
ALTHAM, P. M. E., The estimation of $I(x = 1{:}2; y)$, 259
Aminoacyl synthetase recognition, effect of guanosine residue modification in *Escherichia coli* formylmethionine tRNA, 117
Antibiotics, oligopeptide, netropsin and distamycin A interaction with nucleic acids, 329
ANTONINI, E. (see also TALBOT, B.), 261
ARNDT, D. J. (see also SIMON, S. R.), 69

Bacteriophage f1, electro-optic evidence for the control of the structure by a minor coat protein, 187
— —, genotypes produced by individual recombination events, 133
— λ lysogens, induced, enzyme–template complexes isolated and used to study their synthesis of RNA *in vitro*, 635
— φ 80, transducing, distribution of nucleotides in *Escherichia coli* DNA, 405
— φ X174, replicative form, synthesis in nucleotide-permeable *Escherichia coli* cells, 755
— T4 tail assembly, four steps in core formation, 693
— — — core assembly, the sequence of gene product interaction, 685
—, transducing λ, nucleotide distribution in *Escherichia coli* DNA from the phage, 417
BADLEY, R. A., & TEALE, F. W. J., Geometry and fluorescence of pepsin–substrate complexes, 567
BENDER, W. W., GARAN, H. & BERG, H. C., Proteins of the human erythrocyte membrane as modified by pronase, 783
BENNETT, P. M. (see also HANSON, J.), 865
BERG, H. C. (see also BENDER, W. W.), 783
—, P. (see also FOLK, W. R.), 595
BISHOP, D. H. L., & ROY, P., Properties of the product synthesized by vesicular stomatitis virus particles, 799
Black lipid membrane, ultrastructural analysis, 431
BONNER, J. (see also SMART, J. E.), 651, 661, 675
BOON, T. & ZINDER, N. D., Genotypes produced by individual recombination events involving bacteriophage f1, 133
BRAM, S., Secondary structure of DNA in solution and nucleohistone, 277
BRETSCHER, M. S., Human erythrocyte membranes: specific labelling of surface proteins, 775
BRUN, F. (see also HÉLÈNE, C.), 349
BRUNORI, M. (see also TALBOT, B.), 261

CANTOR, C. R. (see also WHITE, J. P.), 397
Cell-free synthesis of ribosomal proteins on polyribosomes, 579
CHESTIER, A. (see also YANIV, M.), 381
CHIANG, K.-S. (see also SIERSMA, P. W.), 167
Chinese hamster cell DNA replication, evidence for a single replication fork per replicon, 873
Chlamydomonas reinhardi, denaturation and renaturation kinetics of chloroplast DNA, 611
— —, chloroplast and cytoplasmic ribosomes, conservation and degradation, 167
Chloroplast and cytoplasmic ribosomes in *Chlamydomonas reinhardtii*, conservation and degradation, 167
— DNA from *Chlamydomonas reinhardi*, kinetics of denaturation and renaturation, 611
Chromatin, selective dissociation of histones from chromatin by sodium deoxycholate, 651
— structure, role of histones, 661
— template activity and precipitability at physiological ionic strengths, relative role of histones, 675
Cistron, localization and characterization of the ribosomal RNA cistrons in *Sciara coprophila*, 499
Coat protein, minor, electro-optic evidence for its control of the structure of bacteriophage f1, 187
Code relating sequence to conformation in proteins, analysis, possible implications for the mechanism of formation of helical regions, 237
COHEN, S. N. & HURWITZ, J., Further studies on the synthesis of RNA *in vitro* by enzyme–template complexes isolated from induced λ lysogens, 635
COLE, R. D. (see also HOHMANN, P.), 533

Collagen polysomes: site of hydroxylation of proline residues, 831
Concanavalin A, demetallized, X-ray crystallographic study, 389
Consigli, R. (see also Lark, K. G.), 873
Co-operative binding of nicotine–adenine dinucleotide to yeast glyceraldehyde-3-phosphate dehydrogenase, 29, 51
Co-operativity, functional consequences of structural alterations and their implications for the molecular basis in chemically modified horse hemoglobin, 89
Cox, R. P., Elson, N. A., Tu, S.-H. & Griffin, M. J., Hormonal induction of alkaline phosphatase activity by an increase in catalytic efficiency of the enzyme, 197
Cytidine conformational analysis by the neglect of differential overlap molecular orbital method, 297
Cytoplasmic and chloroplastic ribosomes in *Chlamydomonas reinhardtii*, conservation and degradation, 167
Cytosine-4-thiouridine dimer in valyl-tRNA, its biological activity after irradiation, 381

Deoxycholate, sodium, selective dissociation of histones from chromatin, 651
Deoxyribonucleic acid chain growth, variation in the rate during the S phase in HeLa cells, 289
— —, chloroplast from *Chlamydomonas reinhardi*, denaturation and renaturation kinetics, 611
— —, *Escherichia coli*, from ϕ 80 transducing phages, distribution of nucleotides, 405
— —, — —, — λ transducing phage, distribution of nucleotides, 417
— — in solution and nucleohistone, secondary structure, 277
— — polymerase-defective *Escherichia coli* cells, repair of damage induced by ultraviolet light 623
— — — mutant of De Lucia and Cairns, inviability of *recA*-derivatives, 631
— — replication in Chinese hamster cells, evidence for a single replication fork per replicon, 873
— — — — *Escherichia coli* 15T-growing at 20°C, 711
— — synthesis in nucleotide-permeable *Escherichia coli* cells, 739, 755
— — -like and ribosomal RNA, stimulation of synthesis by growth hormone, 489
Dictyostelium discoideum, enzyme synthesis during development, 541
Distamycin A and netropsin, interaction with nucleic acids, 329
Dohan, F. C., Jr., Rubman, R. H., & Torriani, A., *In vitro* synthesis of *Escherichia coli* alkaline phosphatase monomers, 469
Dourlent, M. (see also Thrierr, J. C.), 815
Dunker, A. K. & Rueckert, R. R., Fragments generated by pH dissociation of ME-virus and their relation to the structure of the virion, 217
Durwald, H. & Hoffmann-Berling, H., DNA synthesis in nucleotide-permeable *Escherichia coli* cells. II. Synthesis of replicative form of phage ϕX174, 755

Elbers, P. F. (see also Ververgaert, P. H. J. Th.), 431
Electro-optic evidence for the control of the structure of bacteriophage f1 by a minor coat protein, 187
Elson, N. A. (see also Cox, R. P.), 197
Endo, H. (see also Yamamoto, M.), 103
Engelman, D. M., Lipid bilayer structure in the membrane of *Mycoplasma laidlawii*, 153
Enzyme–template complexes isolated from induced lysogens used to study RNA synthesis *in vitro*, 635
— synthesis by cellular interaction during development of the slime mold *Dictyostelium discoideum*, 541
— — in the slime mold *Dictyostelium discoideum*, 541
Escherichia coli 15T- growing at 20°C, DNA replication, 711
— — alkaline phosphatase monomers, *in vitro* synthesis, 469
— — cells defective in DNA polymerase, repair of damage induced by ultraviolet light, 623
— — DNA, distribution of nucleotides from λ transducing phage, 417
— — —, — — — — ϕ 80 transducing bacteriophage, 405
— —, — synthesis in nucleotide-permeable cells, 739, 755
— —, duplication of the structural gene for glycyl-tRNA synthetase, 595
— — formylmethionine tRNA, effect of modification of guanosine residues on aminoacyl synthetase recognition, 117
— — lactose operon, mutational inversion of control, 1
— —, RNA-permeable mutant, 103
— —, tetracycline binding to ribosomes, role of magnesium, 397
— — $tRNA_1^{Val}$ and 4-thiouridine, photochemistry, 367
— — valyl-tRNA synthetase, fluorescence studies of interactions with its substrates, 349
Ether-treated *Escherichia coli* cells, preparation and properties, 739

Erythrocyte membranes, human, specific labelling of surface proteins, 775
— membrane proteins, human, modification by pronase, 783

f1 (see Bacteriophage)
Favre, A. (see also Yaniv, M.), 381
— —, Michelson, A. M. & Yaniv, M., Photochemistry of 4-thiouridine in *Escherichia coli* transfer RNA_1^{Val}, 367
Flessel, C. P., Cell-free synthesis of ribosomal proteins on polyribosomes, 579
Fluorescence and geometry of pepsin–substrate complexes, 567
— studies of interactions between *Escherichia coli* valyl-tRNA synthetase and its substrates, 349
Folk, W. R. & Berg, P., Duplication of the structural gene for glycyl-transfer RNA synthetase in *Escherichia coli*, 595
Formylmethionine tRNA of *Escherichia coli*, effect of modification of guanosine residues on aminoacyl synthetase recognition, 177
Frog skeletal muscle, structure of separated myosin-containing filament assembly (A segment), 865

Gallego, E. (see also Kirschner, K.), 29
Garan, H. (see also Bender, W. W.), 783
Gene production interaction sequence in bacteriophage T4 tail core assembly, 685
Genotypes produced by individual recombination events involving bacteriophage f1, 133
Gerbi, S. A., Localization and characterization of the ribosomal RNA cistrons in *Sciara coprophila*, 499
Gibson, Q. H. (see also Nagel, R. L.), 643
Globin synthesis, assay for the inhibitor formed in the absence of hemin, 317
Glyceraldehyde-3-phosphate dehydrogenase, yeast, co-operative binding to nicotine–adenine-dinucleotide, 29
— — — —, —, — — — — — — —, stopped-flow studies, 51
Glycyl-tRNA synthetase in *Escherichia coli*, duplication of the structural gene, 595
Gold, L. (see also Hirsh, D.) 459
Goodall, D. (see also Kirschner, K.), 29
Griffin, M. J. (see also Cox, R. P.), 197
Gros, F. (see also Yaniv, M.), 381
Gross, J. D. (see also Monk, M.), 623
— — —, Grunstein, J., & Witkin, E. M., Inviability of *recA*⁻ derivatives of the DNA polymerase mutant of De Lucia and Cairns, 631
Growth hormone stimulating synthesis of DNA-like and ribosomal RNA, 489
Grunstein, J. (see also Gross, J. D.), 631
Guanosine residue modification, effect on aminoacyl synthetase recognition in *Escherichia coli* formylmethionine tRNA, 117

Haemoglobin, horse, chemically modified, determination of the functional properties, 69
— J Capetown, ligand binding, 643
—, horse, chemically modified, functional consequences of structural alterations and their implications for the molecular basis of cooperativity, 89
—, —, — —, X-ray studies, 79
—, human, equilibria and kinetics of the binding of isocyanides to isolated chains, 261
Hanson, C. V., A study of rapid hydrogen exchange in nucleic acids, 847
Hanson, J., O'Brien, E. J. & Bennett, P. M., Structure of the myosin-containing filament assembly (A-segment) separated from frog skeletal muscle, 865
HeLa cells, S phase, variation in the rate of DNA chain growth, 289
— —, turnover of nuclear RNA, evidence for a single ribonucleotide pool, 481
Hélène, C., Brun, F. & Yaniv, M., Fluorescence studies of *Escherichia coli* valyl-tRNA synthetase and its substrates, 349
Helical regions, analysis of the code relating sequence to conformation in proteins: possible implications for the mechanism of formation, 237
Hemin control of globin synthesis, 317
Hemoglobin (see under Haemoglobin)
Hirsh, D., Tryptophan transfer RNA as the UGA suppressor, 439
— — & Gold, L., Translation of the UGA triplet *in vitro* by tryptophan transfer RNA's, 459
Histones, lysine-rich, in the mouse mammary gland, hormonal effects on amino acid incorporation, 533
— role in relation to the template activity and precipitability of chromatin at physiological ionic strengths, 675
—, — — the structure of chromatin, 661
—, selective dissociation from chromatin by sodium deoxycholate, 651

Hoffmann-Berling, H. (see also Durwald, H.), 755
— — — — — (see also Vosberg, H.-P.), 739
Hohmann, P. & Cole, R. D., Hormonal effects on amino acid incorporation into lysine-rich histones in the mouse mammary gland, 533
Hormonal effects on amino acid incorporation into lysine-rich histones in the mouse mammary gland, 533
— induction of alkaline phosphatase activity by an increase in catalytic efficiency of the enzyme, 197
Hormone, growth, stimulated synthesis of DNA-like and ribosomal RNA, 489
Horse hemoglobin chemically modified, determination of the functional properties, 69
— — — —, functional consequences of structural alterations and their implications for the molecular basis of co-operativity, 89
— — — —, X-ray studies, 79
Human erythrocyte membrane proteins as modified by pronase, 783
— — membranes, specific labelling of surface proteins, 775
— haemoglobin, equilibria and kinetics of the binding of isocyanides to isolated chains, 261
Hurwitz, J. (see also Cohen, S. N.), 635
Hydrogen exchange, rapid, in nucleic acids, 847

Intercalating agents inhibiting the processing of ribosomal precursor RNA, 555
Infante, A. A. (see also Lazaridis, E. L.), 831
Irradiated tRNA for valine containing a 4-thiouridine–cytosine dimer, its biological activity, 381
Ishizawa, M. (see also Yamamoto, M.), 103
Isocyanides, reaction with haemo-proteins, equilibria and kinetics of the binding to isolated chains of human haemoglobin, 261

Jack, A., Weinzierl, J. & Kalb, A. J., X-ray crystallographic study of demetallized concanavalin A, 389
Jenkins, T. (see also Nagel, R. L.), 643

Kalb, A. J. (see also Jack, A.), 389
Kamper, C. S. (see also Maxwell, C. R.), 317
Kang, S., Stereochemistry of pyrimidine nucleosides. Conformational analysis of cytidine, thymidine and 4-thiouridine by the neglect of differential overlap molecular orbital method, 297
Kann, H. E., Jr. (see also Snyder, A. L.), 555
Kinetics of denaturation and renaturation of chloroplast DNA from *Chlamydomonas reinhardi*, 611
King, J., Bacteriophage T4 tail assembly: four steps in core formation, 693
Kirschner, K., Co-operative binding of nicotinamide–adenine dinucleotide to yeast glyceraldehyde-3-phosphate dehydrogenase. II. Stopped-flow studies at pH 8·5 and 40°C, 51
— —, Gallego, E., Schuster, I. & Goodall, D., Co-operative binding of nicotinamide–adenine dinucleotide to yeast glyceraldehyde-3-phosphate dehydrogenase. I. Equilibrium and temperature-jump studies at pH 8·5 and 40°C, 29
Kohn, K. W. (see also Snyder, A. L.), 555
Konigsberg, W. H. (see also Moffat, J. K.), 89
— — — (see also Simon, S. R.), 69
Korner, A. (see also Oravec, M.), 489

λ (see Bacteriophage)
Lactose operon of *Escherichia coli*, mutational inversion of control, 1
Lark, K. G. (see also Urban, J. E.), 711
— — —, Consigli, R. & Toliver, A., DNA replication in Chinese hamster cells: evidence for a single replication fork per replicon, 873
Lazaridis, E. L., Lukens, L. N. & Infante, A. A., Collagen polysomes: site of hydroxylation of proline residues, 831
Leng, M. (see also Thrierr, J. C.), 815
Ligand binding in hemoglobin J Capetown, 643
Lipid bilayer structure in the membrane of *Mycoplasma laidlawii*, 153
— membranes, black, ultrastructural analysis, 431
Löber, G. (see also Zimmer, Ch.), 329
Longlands, M. (see also Newell, P. C.), 541
Lu, P. & Rich, A., The nature of the polypeptide chain termination signal, 513
Luck, G. (see also Zimmer, Ch.), 329
Lukens, L. N. (see also Lazaridis, E. L.), 831

Lysine-rich histones in the mouse mammary gland, hormonal effects on amino acid incorporation, 533
Lysogens, λ, induced, from which are isolated enzyme–template complexes used to study RNA synthesis *in vitro*, 635

Magnesium, role in the binding of tetracyclines to *Escherichia coli* ribosomes, 397
Maxwell, C. R., Kamper, C. S. & Rabinovitz, M., Hemin control of globin synthesis: an assay for the inhibitor formed in the absence of hemin and some characteristics of its formation, 317
ME (see Virus)
Meeazn, E. & Wood, W. B., The sequence of gene product interaction in bacteriophage T4 tail core assembly, 685
Membrane, black lipid, ultrastructural analysis, 431
— of *Mycoplasma laidlawii*, lipid bilayer structure, 153
Michelson, A. M. (see also Favre, A.), 367
Milstien, J. B. (see also Rossomando, E. F.), 187
Moffat, J. K., Structure and functional properties of chemically modified horse hemoglobin. II. X-ray studies, 79
— — —, Simon, S. R. & Konigsberg, W. H., Structure and functional properties of chemically modified horse hemoglobin. III. Functional consequences of structural alterations and their implications for the molecular basis of co-operativity, 89
Molecular orbital method, neglect of differential overlap, for conformational analysis of pyrimidine nucleosides, 297
Monk, M., Peacey, M., & Gross, J. D., Repair of damage induced by ultraviolet light in DNA polymerase-defective *Escherichia coli* cells, 623
Mouse mammary gland, hormonal effects on amino acid incorporation into lysine-rich histones, 533
Muscle, skeletal of frog, structure of separated myosin-containing filament assembly (A segment), 865
Mutant of De Lucia and Cairns for DNA polymerase, inviability of *recA* derivatives, 631
—, RNA-permeable, from *Escherichia coli*, 103
Mutational inversion of control of lactose operon of *Escherichia coli*, 1
Mycoplasma laidlawii, lipid bilayer structure in the membrane, 153
Myers, G. L. & Sadler, J. R., Mutational inversion of control of the lactose operon of *Escherichia coli*, 1
Myosin-containing filament assembly (A segment) separated from frog skeletal muscle, structure, 865

Nagel, R. L., Gibson, Q. H. & Jenkins, T., Ligand binding in hemoglobin J Capetown, 643
Netropsin and distamycin A, interaction with nucleic acids, 329
Newell, P. C., Longlands, M. & Sussman, M., Control of enzyme synthesis by cellular interaction during development of the cellular slime mold *Dictyostelium discoideum*, 541
Nicotine–adenine-dinucleotide, co-operative binding to yeast glyceraldehyde-3-phosphate dehydrogenase, 29
— – — —, — — — — — — — —, stopped-flow studies, 51
Nuclear RNA turnover in HeLa cells, evidence for a single ribonucleotide pool, 481
Nucleic acid, rapid hydrogen exchange, 847
— acids and their interaction with netropsin and distamycin A, 329
Nucleohistone and DNA in solution, secondary structure, 277
Nucleosides, pyrimidine, conformational analysis by the neglect of differential overlap molecular orbital method, 297
Nucleotide distribution in *Escherichia coli* DNA from λ transducing phages, 417
— — — — — — — — φ 80 transducing bacteriophage, 405
— -permeable *Escherichia coli* cells, DNA synthesis, 739, 755

Oberg, B. & Philipson, L., Replicative structures of poliovirus RNA *in vivo*, 725
O'Brien, E. J. (see also Hanson, J.), 865
Operon, lactose, of *Escherichia coli*, mutational inversion of control, 1
Oravec, M. & Korner, A., Stimulation of synthesis of DNA-like and ribosomal RNA by growth hormone, 489

φ 80 (see Bacteriophage)
φ X174 (see Bacteriophage), 755
Pain, R. H. (see also Robson, B.), 237
Painter, R. B. & Schaefer, A. W., Variation in the rate of DNA chain growth through the S phase in HeLa cells, 289
Peacey, M. (see also Monk, M.), 623
Pepsin–substrate complexes, geometry and fluorescence, 67

Philipson, L. (see also Oberg, B.), 725
Phosphatase, alkaline, activity, induced hormonally by an increase in catalytic efficiency of the enzyme, 197
—, *in vitro* synthesis of *Escherichia coli* alkaline phosphatase monomers, 469
Photochemistry of 4-thiouridine in *Escherichia coli* $tRNA_1^{Val}$, 367
Poliovirus RNA *in vivo* replicative structures, 725
Polymerase for DNA defective *Escherichia coli* cells, repair of damage induced by ultraviolet light, 623
— — — mutant of De Lucia and Cairns, inviability of *recA*⁻ derivatives, 631
Polypeptide chain termination signal, nature, 513
Polyribosomes, cell-free synthesis of ribosomal proteins on polyribosomes, 579
Polysomes, collagen, site of hydroxylation of proline residues, 831
Polyuridylic acid, properties, 815
Proline residues, hydroxylation in collagen polysomes, 831
Pronase modification of human erythrocyte membrane proteins, 783
Proteins, analysis of the code relating sequence to conformation, 237
— of the human erythrocyte membrane as modified by pronase, 783
—, surface, specific labelling of human erythrocyte membranes, 775
Pyrimidine nucleosides conformational analysis by the neglect of differential overlap molecular orbital method, 297

Rabinovitz, M. (see also Maxwell, C. R.), 317
Recombination events involving bacteriophage f1, production of genotypes, 133
Reinert, K. E. (see also Zimmer, Ch.), 329
Repair of damage induced by ultraviolet light in DNA polymerase-defective *Escherichia coli*, 623
Replicative structures of poliovirus RNA *in vivo*, 725
Ribonucleic acid, nuclear, turnover in HeLa cells, evidence for a single ribonucleotide pool, 481
— — -permeable mutant of *Escherichia coli*, 103
— — of poliovirus *in vivo*, replicative structures, 725
— —, ribosomal, cistron localization and characterization in *Sciara coprophila*, 499
— —, — precursors, inhibition of processing by intercalating agents, 555
— —, stimulation of synthesis of DNA-like and ribosomal RNA by growth hormone, 489
— — synthesis studies *in vitro* by enzyme–template complexes isolated from induced lysogens, 635
— —, transfer, for formylmethionine from *Escherichia coli*, effect of modification of guanosine residues on aminoacyl synthetase recognition, 117
— — —, duplication of the structural gene for glycyl-tRNA synthetase in *Escherichia coli*, 595
— —, —, for tryptophan as the UGA suppressor, 439
— —, — — valine, synthetase, fluorescence studies of its interactions with its substrates in *Escherichia coli*, 349
— —, — — —, and 4-thiouridine from *Escherichia coli*, photochemistry, 367
— —, valyl-transfer containing a 4-thiouridine–cytosine dimer, its biological activity after irradiation, 381
— —, translation of the UGA triplet *in vitro* by tryptophan tRNA's, 459
Ribosomal precursor RNA, inhibition of processing by intercalating agents, 555
— proteins on polyribosomes, cell-free synthesis, 579
— RNA cistron localization and characterization in *Sciara coprophila*, 499
Ribosomes from *Escherichia coli*, tetracycline binding and the role of magnesium, 397
Rich, A. (see also Lu, P.), 513
Robson, B. & Pain, R. H., Analysis of the code relating sequence to conformation in proteins: possible implications for the mechanism of formation of helical regions, 237
Rossomando, E. F. & Milstien, J. B., Electro-optic evidence for the control of the structure of bacteriophage f1 by a minor coat protein, 187
Roy, P. (see also Bishop, D. H. L.), 799
Rubman, R. A., Jr. (see also Dohan, F. C.), 469
Rueckert, R. R. (see also Dunker, A. K.), 217

S phase in HeLa cells, variation in the rate of DNA chain growth, 289
Sadler, J. R. (see also Myers, G. L.), 1
Sager, R. (see also Wells, R.), 611
Schaefer, A. W. (see also Painter, R. B.), 289
Schulman, L. H., Structure and function of *Escherichia coli* formylmethionine transfer RNA. II. Effect of modification of guanosine residues on aminoacyl synthetase recognition, 117
Schuster, I. (see also Kirschner, K.), 29
Sciara coprophila, localization and characterization of the ribosomal RNA cistrons, 499

Secondary structure of DNA in solution and nucleohistone, 277
Siersma, P. W. & Chiang, K.-S., Conservation and degradation of cytoplasmic and chloroplast ribosomes in *Chlamydomonas reinhardtii*, 167
Simon, S. R. (see also Moffat, J. K.), 89
Simon, S. R., Arndt, D. J. & Konigsberg, W. H., Structure and functional properties of chemically modified horse hemoglobin. I. Determination of the functional properties, 69
Skalka, A. (see also Yamagishi, H.), 417
Skeletal muscle, frog, structure of separated myosin-containing filament assembly (A segment), 865
Stereochemistry of pyrimidine nucleosides conformational analysis of cytidine, thymidine and 4-thiouridine by the neglect of differential overlap molecular orbital method, 297
Stopped-flow studies on co-operative binding of nicotine–adenine dinucleotide to yeast glyceraldehyde-3-phosphate dehydrogenase, 51
Slime mold, *Dictyostelium discoideum*, enzyme synthesis during development, 541
Smart, J. E. & Bonner, J., Selective dissociation of histones from chromatin by sodium deoxycholate, 651
— — — — — —, Studies on the role of histones in the structure of chromatin, 661
— — — — — —, — — — — — — — — relation to the template activity and precipitability of chromatin at physiological ionic strengths, 675
Snyder, A. L., Kann, H. E., Jr. & Kohn, K. W., Inhibition of the processing of ribosomal precursor RNA by intercalating agents, 555
Sodium deoxycholate, selective dissociation of histones from chromatin, 651
Soeiro, R. (see also Wu, R. S.), 481
Structure and functional properties of chemically modified horse hemoglobin, 69
Suppressor: tryptophan tRNA as the UGA suppressor, 439
Sussman, M. (see also Newell, P. C.), 541
Synthesis of RNA *in vitro* by enzyme–template complexes isolated from induced λ lysogens, 635
Synthetase, valyl-tRNA, fluorescence studies of its interactions with its substrates in *Escherichia coli*, 349
—, duplication of the structural gene for glycyl-tRNA synthetase in *Escherichia coli*, 595

T4 (see Bacteriophage)
Tail assembly in bacteriophage T4, four steps in core formation, 693
— core assembly of bacteriophage T4, gene product interaction sequence, 685
Talbot, B., Brunori, M., Antonini, E. & Wyman, J., Studies on the reaction of isocyanides with haemoproteins. I. Equilibria and kinetics of the binding to the isolated chains of human haemoglobin, 261
Teale, F. W. J. (see also Badley, R. A.), 567
Temperature-jump and equilibrium studies on co-operative binding of nicotine–adenine dinucleotide to yeast glyceraldehyde-3-phosphate dehydrogenase, 29
Template–enzyme complexes isolated from induced λ lysogens used to study RNA synthesis *in vitro*, 635
Termination signal of polypeptide chain, nature of, 513
Tetracycline binding to *Escherichia coli* ribosomes, role of magnesium, 397
4-Thiouridine conformational analysis by the neglect of differential overlap molecular orbital method, 297
— — –cytosine dimer in valyl-tRNA, its biological activity after irradiation, 381
— — in *Escherichia coli* $tRNA_1^{Val}$, photochemistry, 367
Threrr, J. C., Dourlent, M. & Leng, M., A study of polyuridylic acid, 815
Thrum, H. (see also Zimmer, Ch.), 329
Thymidine conformational analysis by the neglect of differential overlap molecular orbital method, 297
Toliver, A. (see also Lark, K. G.), 873
Transducing bacteriophage ϕ 80, distribution of nucleotides in *Escherichia coli* DNA, 405
— λ phage, nucleotide distribution in *Escherichia coli* DNA from the phage, 417
Transfer RNA for formylmethionine from *Escherichia coli*, effect of modification of guanosine residues on aminoacyl synthetase recognition, 117
— — — glycine, synthetase, duplication of the structural gene in *Escherichia coli*, 595
— — — tryptophan as the UGA suppressor, 439
— — — valine containing a 4-thiouridine–cytosine dimer, its biological activity after irradiation, 381
— — — —, synthetase, fluorescence studies of its interactions with its substrates in *Escherichia coli*, 349
— RNA_1 for valine with 4-thiouridine and *Escherichia coli*, photochemistry, 367
— RNA's for tryptophan, translation of the UGA triplet *in vitro*, 459

Translation of the UGA triplet *in vitro* by tryptophan tRNA's, 459
Torriani, A. (see also Dohan, F. C., Jr.), 469
Tryptophan tRNA as the UGA suppressor, 439
— tRNA's, translation of the UGA triplet *in vitro*, 459
Tu, S.-H. (see also Cox, R. P.), 197

Ultrastructural analysis of black lipid membranes, 431
Ultraviolet light-induced damage repair in DNA polymerase-defective *Escherichia coli*, 623
Urban, J. E. & Lark, K. G., DNA replication in *Escherichia coli* 15T⁻ growing at 20°C, 711

Valyl-tRNA synthetase, fluorescence studies of its interaction with its substrates in *Escherichia coli*, 349
— — and 4-thiouridine from *Escherichia coli*, photochemistry, 367
— — containing a 4-thiouridine–cytosine dimer, its biological activity after irradiation, 381
Ververgaert, P. H. J. Th. & Elbers, P. F., Ultrastructural analysis of black lipid membranes, 431
Vesicular stomatitis virus, properties of the product synthesized by the particles, 799
Virus, ME, fragments generated by pH dissociation and their relation to the structure of the virion, 217
—, properties of the product synthesized by vesicular stomatitis virus particles, 799
Vosberg, H.-P. & Hoffmann-Berling, H., DNA synthesis in nucleotide-permeable *Escherichia coli* cells. I. Preparation and properties of ether-treated cells, 739

Wähnert, U. (see also Zimmer, Ch.), 329
Weinzierl, J. (see also Jack, A.), 389
Wells, R. & Sager, R., Denaturation and renaturation kinetics of chloroplast DNA from *Chlamydomonas reinhardi*, 611
White, J. P. & Cantor, C. R., Role of magnesium in the binding of tetracycline to *Escherichia coli* ribosomes, 397
Witkin, E. M. (see also Gross, J. D.), 631
Wood, W. B. (see also Meezan, E.), 685
Wu, R. S. & Soeiro, R., Turnover of nuclear RNA in HeLa cells: evidence for a single ribonucleotide pool, 481
Wyman, J. (see also Talbot, B.), 261

X-ray crystallographic study of demetallized concanavalin A, 389
— studies of chemically modified horse hemoglobin, 79

Yamagishi, H., Distribution of nucleotides in *Escherichia coli* DNA from $\phi 80$ transducing bacteriophage, 405
— — & Skalka, A., Distribution of nucleotides in *Escherichia coli* DNA from λ transducing phages, 417
Yamamoto, M., Ishizawa, M. & Endo, H., Ribonucleic acid-permeable mutant of *Escherichia coli*, 103
Yaniv, M. (see also Favre, A.), 367
— — (see also Hélène, C.), 349
— —, Chestier, A., Gros, F. & Favre, A., Biological activity of irradiated $tRNA_1^{Val}$ containing a 4-thiouridine–cytosine dimer, 381
Yeast glyceraldehyde-3-phosphate dehydrogenase, co-operative binding to nicotine–adenine-dinucleotide, 29, 51

Zimmer, Ch., Reinert, K. E., Luck, G., Wähnert, U., Löber, G. & Thrum, H., Interaction of the oligopeptide antibiotics netropsin and distamycin A with nucleic acids, 329
Zinder, N. D. (see also Boon, T.), 133